

EC-CERTIFICATE OF CONFORMITY

0809 - CPD – 0750

In compliance with Council Directive 89/106/EEC of December 21, 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (the Construction Products Directive or CPD), as later amended, it has been stated that the construction products

Mineral wool products for thermal insulation

presented in page 2 of the document

placed on the market by

Saint-Gobain Rakennustuotteet Oy

Kerkkolankatu 37-30

FI-05801 Hyvinkää

and produced in the factories

A, B, C, D, E, F and G

according to page 3 of the document

are submitted to the manufacturer's factory production control, and to further testing of samples taken at the factory in accordance with the prescribed test plan and that notified body No. 0809 – VTT Expert Services Ltd – has performed the initial type-testing of the relevant characteristics of the products, the initial inspection of the factories and of the factory production controls and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

EN 13162:2008

were applied and that the products fulfil all the prescribed requirements.

This certificate was first issued on April 25, 2012 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factories or the FPC itself are not modified significantly.

Espoo April 25, 2012



Lina Markelin-Rantala
Team Manager



Liisa Rautiainen
Assessment Manager

Certificate No 0809-CPD-0750

25.4.2012

Product name	Certification No	Description	Thickness	Direction for properties (S=slab, L=Lamella)	Thermal conductivity, λ_D , W/mK	Fire classification, Euroclass	Compressive stress, CS(10), kPa	Compressive strength, CS(Y), kPa	Point load, PL(5), N	Tensile strength, TR, kPa	Shear strength, SS, kPa	Water absorption, WS, Short term kg/m ²	Water absorption, WL(P), long term kg/m ²	Water vapour transmission (MU _i or Zi)	Designation code of the manufacturer
ISOVER KOL	0809-CPD-0750-1	Uncoated slab	T2	S	0,036	A1	-	-	-	-	-	1	3	- MU1	MW-EN13162-T2-DS(T+)-WS-WL(P)-MU1
ISOVER PKOL	0809-CPD-0750-2	Uncoated slab	T5	S	0,037	A1	-	-	-	-	-	1	3	- MU1	MW-EN13162-T5-DS(T+)-WS-WL(P)-MU1

Product name/production line	B1	B2	A1	A2	C	D1	D2	E	F1	F2	G2	G3
ISOVER KOL	X		X	X	X	X	X	X	X	X	X	
ISOVER PKOL		X	X	X	X	X		X	X	X	X	X